

WEST Search History for Application 10611402

Creation Date: 2008102318:36

Query	DB	Op.	Plur.	Thes.	Date
(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher)) and (key near4 generat\$4 or generat\$4 near4 key\$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher)) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or keystream)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
((encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3)) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or keystream or key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
((encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008

keystream or key)) and (buffer)and(input and output near4 register)					
((encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or keystream or key) and (buffer)and(input and output near4 register)) and (memory near4 controller)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(memory near4 controller)near5(direct\$3 or send\$4 or transfer\$4)near5(digital near3 data or information or data or packets)near5(memory or storage)near5(buffer)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(digital near4 data or information or data or packets)near5(pass\$4 or transfer\$4)near5(key near4 generat\$4)near5(stor\$4 or sav\$4)near5(register) and ((memory near4 controller)near5(direct\$3 or send\$4 or transfer\$4)near5(digital near3 data or information or data or packets)near5(memory or storage)near5(buffer))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
((memory near4 controller)near5(direct\$3 or send\$4 or transfer\$4)near5(digital near3 data or information or data or packets)near5(memory or storage)near5(buffer)) and (clock and linear near4 feedback near6 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(generat\$4 or creat\$4)near5(pseudorandom near4 pattern) and (stor\$4 or sav\$4)near5(bits or key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(set near3 top near3 box)near5(linear near3 feedback near3 register or random near3 number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(generat\$4 or creat\$4)near5(pseudorandom near4 bit near3 pattern) and (creat\$4)near5(bit near3 stream)	PGPB, USPT, EPAB, JPAB, DWPI,	OR			03-27-2008

	TDBD				
(stor\$4 or sav\$4)near5(pseudorandom near4 bit near3 pattern and key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(pseudorandom near4 bit near3 pattern) and ((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(sub near3 key)near4(generat\$4)near5(creat\$4)near4(sub-key)near5(memory near5 controller)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(combiner) and ((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(data near4 mixer)near5(mix\$3)near5(bits or byte)near5(digital near4 data or information or packets or data)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(request\$4 or ask\$4)near5(memory near4 controller)near6(decrypt? near5 data) and ((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(select\$4 or pick\$4 or choos\$4)near5(pseudorandom or random near4 bit near4 pattern)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(bank and row)near3(information or data)near4(memory) and (generat\$4)near5(key)	PGPB, USPT,	OR			03-27-2008

	EPAB, JPAB, DWPI, TDBD				
((bank and row)near3(information or data)near4(memory) and (generat\$4)near5(key)) and (memory near4 controller)near5(stor\$4 or sav\$4)near5(packets or digital near4 data or information or data)with(rewritable near4 memory)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(stor\$4 or sav\$4)near5(packets or digital near4 data or information or data)with(rewritable near4 memory)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
((stor\$4 or sav\$4)near5(packets or digital near4 data or information or data)with(rewritable near4 memory)) and (linear near3 feedback near5 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(unmix\$4)near4(byte or digital near4 data or data near4 mixer)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/46).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/277).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/265).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008

(380/268).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/278).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/279).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/44).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/37).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/285).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/239).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/255).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB,	OR			03-27-2008

	DWPI, TDBD				
(380/259).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(380/262).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(726/2).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(726/26).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(713/160).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(713/171).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(713/182).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
(713/190).ccls. and (linear near3 feedback near3 register)		OR			03-27-2008

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(713/191).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			03-27-2008
Conexant.as. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
Winefred near Washington.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher)) and (key near4 generat\$4 or generat\$4 near4 key\$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher)) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or keystream)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital	PGPB, USPT, EPAB,	OR			10-23-2008

adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3)	JPAB, DWPI, TDBD				
((encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3)) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or keystream or key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or keystream or key)) and (buffer)and(input and output near4 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((encrypt\$4)near5(digital near4 data or information or packets or information or data)with(set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (generat\$4 or updat\$4 or replac\$4 or re-creat\$4 or creat\$4 or chang\$4 or modif\$4)near5(encrypt? near4 keys or encrypt? near3 key or keystream or key) and (buffer)and(input and output near4 register)) and (memory near4 controller)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(memory near4 controller)near5(direct\$3 or send\$4 or transfer\$4)near5(digital near3 data or information or data or packets)near5(memory or storage)near5(buffer)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(digital near4 data or information or data or packets)near5(pass\$4 or transfer\$4)near5(key near4 generat\$4)near5(stor\$4 or sav\$4)near5(register) and ((memory near4 controller)near5(direct\$3 or send\$4 or transfer\$4)near5(digital near3 data or information or data or packets)near5(memory or storage)near5(buffer))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((memory near4 controller)near5(direct\$3 or send\$4 or transfer\$4)near5(digital near3 data or information or data or packets)near5(memory or storage)near5(buffer)) and (clock and linear near4 feedback near6 register)	PGPB, USPT, EPAB, JPAB, DWPI,	OR			10-23-2008

	TDBD				
(generat\$4 or creat\$4)near5(pseudorandom near4 pattern) and (stor\$4 or sav\$4)near5(bits or key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(set near3 top near3 box)near5(linear near3 feedback near3 register or random near3 number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(generat\$4 or creat\$4)near5(pseudorandom near4 bit near3 pattern) and (creat\$4)near5(bit near3 stream)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(stor\$4 or sav\$4)near5(pseudorandom near4 bit near3 pattern and key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(pseudorandom near4 bit near3 pattern) and ((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(sub near3 key)near4(generat\$4)near5(creat\$4)near4(sub-key)near5(memory near5 controller)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(combiner) and ((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or vcd or mp3) and (stream adj cipher))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((combiner) and (set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device	PGPB, USPT,	OR			10-23-2008

or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or ved or mp3) and (stream adj cipher) and ((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or ved or mp3) and (stream adj cipher) and (key near4 generat\$4 or generat\$4 near4 key\$2))	EPAB, JPAB, DWPI, TDBD				
(data near4 mixer)near5(mix\$3)near5(bits or byte)near5(digital near4 data or information or packets or data)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(request\$4 or ask\$4)near5(memory near4 controller)near6(encrypt? near5 data) and ((set adj top adj box or converter or decoder or receiver or cable adj box or cable or satellite or digital adj device or electronic adj device or dvr or digital near3 video adj recorder or dvd ro cd or ved or mp3) and (stream adj cipher))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(select\$4 or pick\$4 or choos\$4)near5(pseudorandom or random near4 bit near4 pattern)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(bank and row)near3(information or data)near4(memory) and (generat\$4)near5(key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((bank and row)near3(information or data)near4(memory) and (generat\$4)near5(key)) and (memory near4 controller)near5(stor\$4 or sav\$4)near5(packets or digital near4 data or information or data)with(rewritable near4 memory)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(stor\$4 or sav\$4)near5(packets or digital near4 data or information or data)with(rewritable near4 memory)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((stor\$4 or sav\$4)near5(packets or digital near4 data or information or data)with(rewritable near4 memory)) and (linear near3 feedback near5 register)	PGPB, USPT, EPAB,	OR			10-23-2008

	JPAB, DWPI, TDBD				
((stor\$4 or sav\$4)near5(packets or digital near4 data or information or data)with(rewritable near4 memory)) and (linear near4 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(unmix\$4)near4(byte or digital near4 data or data near4 mixer)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/46).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/277).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/265).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/268).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/278).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008

(380/279).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/44).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/47).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/37).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/285).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/239).ccls. (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/239).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(380/255).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB,	OR			10-23-2008

	DWPI, TDDBD				
(380/259).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDDBD	OR			10-23-2008
(380/262).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDDBD	OR			10-23-2008
(726/2).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDDBD	OR			10-23-2008
(726/26).ccls. and (linear near8 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDDBD	OR			10-23-2008
(713/160).ccls. (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDDBD	OR			10-23-2008
(713/160).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDDBD	OR			10-23-2008
(713/171).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDDBD	OR			10-23-2008
(713/182).ccls. and (linear near3 feedback near3 register)		OR			10-23-2008

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(713/190).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
(713/191).ccls. and (linear near3 feedback near3 register)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			10-23-2008
((clock)with(cycle or latencies) and (set near top near box) and register and buffer) and encrypt?	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		10-23-2008
(inaccurate near clock)with (Mp-3 near player or cd near player or dvr or digital near device)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		10-23-2008
((inaccurate near clock) and ((memory near controller)near5(transmit\$4 or direct\$4 or forward\$4 or send\$4 or transfer\$4)near5(data)near5(memory)near5(buffer))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		10-23-2008
((memory near controller)near5(transmit\$4 or direct\$4 or forward\$4 or send\$4 or transfer\$4)near5(data)near5(memory)near5(buffer)) and ((register)near6(memory) and (key near generator) and (buffer))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		10-23-2008